



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME VI.

- ACANTHIS** *hornemannii*, 294, 329.
 linaria, 24, 294, 314.
 sp.———?, 211, 293, 297.
Accipiter *atricapillus*, 313.
 cooperi, 117, 221, 237, 247, 313.
 velox, 117, 247, 313.
Actitis *macularia*, 31, 32, 43, 53, 76, 78, 99, 117, 120, 128, 147, 158, 195, 237, 313.
Æchmophorus *occidentalis*, 122.
Ægialitis *hiaticula*, 217.
 meloda, 147, 159.
 meloda circumcincta, 70.
 semipalmata, 32, 147, 159.
 vocifera, 69, 159, 195, 198, 220, 222, 237, 255, 274, 313.
 wilsonia, 159, 195, 196, 331.
Æstelrelata *hasitata*, 132.
Agelaius *gubernator*, 220, 341.
 phœniceus, 24, 44, 77, 78, 141, 201, 314, 320, 341.
 phœniceus bryanti, 320.
Aix *sponsa*, 176, 179, 312.
Ajaja *ajaja*, 14, 275.
Alauda *arvensis*, 177.
Alca *torda*, 145.
Alle alle, 183, 213.
Allen, F. H., summer birds at Bridgewater and Moultonboro', New Hampshire, 76.
Allen, J. A., note on first plumage of *Colinus ridgwayi*, 189; the Florida Gallinule breeding in Vermont, 273.
Amazilia *lawrencei*, 209.
American Ornithologists' Union, sixth congress of, 55; notice of supplement to the A. O. U. code of nomenclature and check-list of North American birds, 168; notice of the abridged A. O. U. check-list, 169.
Ammodramus *beldingi*, 222.
 caudacutus, 204, 303, 322.
 caudacutus nelsoni, 340.
 henslowii, 44, 194, 322.
 maritimus, 130, 197, 303.
 passerinus, 204.
 peninsulæ, 322.
 princeps, 64, 148, 199.
 sandwichensis alaudinus, 222.
 sandwichensis savanna, 25, 44, 101, 148, 321.
 savannarum passerinus, 25, 40, 44, 198, 321.
Ampelis *cedrorum*, 26, 31, 45, 77, 78, 102, 118, 144, 201, 202, 281, 315, 326.
 garrulus, 26, 184.
Amphispiza *bilineata*, 240.
Anas *americana*, 302.
 boschas, 133, 179, 211, 215, 312.
 carolinensis, 312.
 cyanoptera, 160, 223.
 diazii, 264.
 discors, 312.
 fulvigula, 263.
 maculosa, 263.
 obscura, 133, 146, 197, 264, 312.
 penelope, 64, 302.
Anhinga *anhinga*, 312.
Anthus *cervinus*, 329.
 pensilvanicus, 28, 222, 240.
Antrostomus *carolinensis*, 252.
 vociferus, 10, 22, 44, 77, 78, 99, 276, 314.
Aphelocoma *californica*, 221.
 californica hypoleuca, 329.
 floridana, 319.
 sieberii arizonæ, 173.
Aphriza *virgata*, 195.
Aquila *chrysaëtos*, 175.
Aramus *giganteus*, 152.

- Ardea cærulea*, 18, 64.
candidissima, 18, 223, 312.
egretta, 17, 183, 312.
herodias, 76, 78, 236, 312.
occidentalis, 16.
rufescens, 14.
tricolor ruficollis, 18.
virescens, 18, 32, 53, 76, 312.
wardi, 17.
wuerdemanni, 16.
- Arenaria interpres*, 32, 129, 159, 340.
Asio accipitrinus, 147, 175, 201, 313.
wilsonianus, 299.
- Attila viridescens*, 172.
- Auk, Great, 64, 176, 178, 195.
 Razor-billed, 145, 184.
- Averill, C. K., Jr., Loggerhead
 Shrike at Bridgeport, Connecticut, 74; *Tringa bairdii* on Long
 Island Sound, 189.
- Aythya americana*, 312.
marila nearctica, 312.
vallisneria, 312.
- BADGER, G. B., *Histrionicus histrionicus* on Long Island, New
 York, 67.
- Barrows, W. B., notice of his re-
 port on the English Sparrow in
 North America, 326.
- Bartramia longicauda*, 158, 237.
- Batchelder, C. F., an undescribed
 subspecies of *Dryobates pubes-*
cens, 253.
- Beckham, C. W., notice of his 'Ob-
 servations on the birds of South-
 western Texas,' 173.
- Bellona cristata*, 218.
exilis, 218.
ornatus, 218.
- Bendire, C. E., notes on the habits,
 nests and eggs of *Dendragapus*
obscurus fuliginosus, the Sooty
 Grouse, 32; *Sphyrapicus ruber*
 breeding in coniferous trees, 71;
 a peculiar nest of *Cinclus mexicanus*,
 75; notes on the general
 habits, nests and eggs of the
 genus *Passerella*, 107; descrip-
 tion of the supposed nest and
 eggs of *Zonotrichia querula*,
 Harris's Sparrow, 150; notice of
 his recent papers on nests and
 eggs of some rare North Ameri-
 can birds, 173; *Picicorvus col-*
umbianus (Wils.), Clarke's Nut-
 cracker. Its nest and eggs, etc.,
 226; description of the nest and
 eggs of *Megascops asio maxwel-*
liæ, the Rocky Mountain Screech
 Owl, 298.
- Bergtold, W. H., notice of his list
 of the birds of Buffalo and vicini-
 ty, 331.
- Betty-bird, 313.
- Bird, Frigate, 180.
- Bishop, L. B., notes on the birds
 of the Magdalen Islands, 144;
Helminthophila pinus, *H. chryso-*
ptera, *H. leucobronchialis* and
H. lawrencei in Connecticut in
 the spring of 1888, 192.
- Bittern, 1, 187.
 American, 16, 146.
 Cory's, 317.
 European, 5.
 Least, 16.
- Blackbird, Bahaman Red-winged,
 320.
 Brewer's, 190.
 Crow, 44.
 Red-winged, 24, 44, 141, 201.
 Rusty, 24, 147, 303.
- Blackcock, 176.
- Bluebird, 30, 42, 46, 107, 141, 197,
 202, 241.
- Bobolink, 23, 44, 100, 319.
- Bob-white, Cuban, 245.
 Florida, 245.
 Texan, 237.
- Bonasa umbellus*, 44, 52, 76, 99,
 175, 177.
umbellus togata, 117.
- Bond, F., *Myadestes townsendii*
 apparently wintering in Wyom-
 ing, 193; notes from Wyoming,
 341.
- Botaurus exilis*, 16.
lentiginosus, 1, 16, 146, 187,
 312.
neoxena, 317.
stellaris, 6.
- Brachyrhamphus kittlitzii*, 329.
- Branta canadensis*, 317.
- Breese, W. L., death of, 81.
- Brewster, W., the present status of
 Forster's Tern as a bird of New
 England, 66; occurrence of the
 Western Sandpiper (*Ereunetes*
occidentalis) in numbers on the
 coast of Massachusetts, 69; Kri-
 der's Hawk (*Buteo borealis kri-*
derii) on the coast of Georgia,
 70; second occurrence of the

- Prairie-Horned Lark in Eastern Massachusetts, 71; descriptions of supposed new birds from western North America and Mexico, 85; *Dendroica coronata* feeding upon oranges, 279; the present status of the Wild Pigeon (*Ectopistes migratorius*) as a bird of the United States, with some notes on its habits, 285; nesting habits of the Parakeet (*Conurus carolinensis*), 336; *Melanerpes carolinus* eating oranges, 337.
- Brittain, J., and Cox, P., Jr., notes on the summer birds of the Restigouche Valley, New Brunswick, 116.
- Brown, J. C., early appearance of *Empidonax minimus* at Portland, Maine, 71; unusual nesting site of *Dendroica virens*, 74; winter notes from Portland, Maine, 280.
- Brown, N. C., remarkable flight of Killdeer (*Agialitis vocifera*) near Portland, Maine, 69; note on *Agialitis meloda circumcincta*, 70.
- Bubo virginianus, 117, 249, 313.
virginianus subarcticus, 238.
- Bunting, Black-throated, 137, 194.
Indigo, 24, 25, 324.
Painted, 240, 324.
Snow, 195, 341.
- Bush-tit, Lead-colored, 173.
- Buteo abbreviatus 173.
borealis, 44, 99, 117, 247, 313.
borealis kriderii, 70.
brachyurus, 243, 248, 275.
fuliginosus, 243.
latissimus, 248.
lineatus, 183, 237, 247, 313.
lineatus alleni, 247.
swainsoni, 173, 237, 313.
- Butorides saturatus, 172.
- Buzzard, Turkey, 52, 70, 183, 201, 237.
- CALAMOSPIZA melanocorys, 192.
- Calcarius lapponicus, 137, 190, 211, 278, 296, 297.
ornatus, 190, 340.
- Calidris arenaria, 157.
- Callipepla californica vallicola, 221, 223.
elegans bensoni, 175.
gambeli, 280.
- Campephilus principalis, 251, 313.
- Campylorhynchus labradorius, 64, 178.
- Campylorhynchus brevirostris, 172.
capistratus, 171.
castaneus, 171.
- Cantwell, G. G., notes from Minnesota, 340.
- Cardinal, 25, 151, 240, 324.
- Cardinalis cardinalis, 24, 25, 120, 151, 240, 315, 324.
- Carpodacus mexicanus frontalis, 220, 341.
mexicanus ruberrimus, 329.
purpureus, 24, 44, 77, 78, 100, 117, 147, 174, 280, 314.
- Catbird, 28, 46, 53, 105.
- Catharista atrata, 237, 246, 313.
- Cathartes aura, 52, 70, 121, 183, 201, 221, 237, 246, 313.
- Catharus berlepschi, 171, 173.
fumosus, 171.
mexicanus, 171.
- Catherpes mexicanus conspersus, 240.
- Cedarbird, 45, 102, 202, 281.
- Centrocercus urophasianus, 33.
- Centurus santacruzi pauper, 172.
- Ceophlœus pileatus, 22, 99, 119, 238, 251, 303, 313.
- Cepphus grylle, 145, 213.
- Certhia familiaris, 173.
familiaris americana, 29, 42, 52, 105, 241, 316.
familiaris scandulaca, 173.
- Certhiola atrata, 219.
godmani, 219.
sacharina, 219.
sharpei, 31.
wellsi, 219.
- Ceryle alcyon, 22, 44, 76, 117, 129, 147, 238, 250, 313.
- Chadbourne, A. P., an unusual flight of Killdeer Plover (*Agialitis vocifera*) along the New England coast, 255.
- Chætura pelagica, 9, 10, 11, 22, 44, 53, 77, 78, 99, 117, 120, 142, 252, 314, 339.
- Chamæa fasciata henshawi, 221.
- Chamberlain, M., some account of the birds of southern Greenland from the MSS. of A. Hagerup, 211, 291.
- Chapman, F. M., *Helminthophila bachmani* on the east coast of Florida, 278; a suggestion to the A. O. U. committee on the revision of the Check-List of North American Birds, 281; notes on

- birds observed in the vicinity of Englewood, New Jersey, 302.
- Charadrius apricarius*, 217.
dominicus, 159, 258.
squatarola, 158.
virginicus, 180.
- Charitonetta albeola*, 312.
- Chat, 121.
 Yellow-breasted, 28, 40, 42, 43, 46, 104.
- Chelidon erythrogaster*, 26, 31, 45, 53, 77, 78, 102, 118, 130, 201, 315, 325.
- Chen caerulescens*, 68.
hyperborea, 195.
- Chickadee, 29, 46, 105.
 Black-capped, 119.
 Carolina, 29, 75, 331.
 Hudsonian, 119, 149, 204.
- Chicken, Mother Carey's, 312.
- Chondestes grammacus*, 25, 303, 314, 322.
grammacus strigatus, 220, 240.
- Chordeiles popetue minor*, 183.
virginianus, 22, 44, 77, 78, 99, 117, 201, 314.
virginianus chapmani, 252, 329.
virginianus henryi, 239.
- Chrysotis amazonica*, 50.
leucocephala, 31, 32.
vittata, 49.
- Chrysuronia œnone*, 210.
- Chuck-will's-widow, 252.
- Cinclus mexicanus*, 75.
- Circus hudsonius*, 44, 76, 129, 147, 237, 247, 313.
- Cistothorus palustris*, 29, 316.
palustris paludicola, 222.
- Clangula hyemalis*, 216.
- Clivicola riparia*, 26, 45, 118, 120, 130, 148, 197, 201, 315, 325.
- Coccythraustes vespertina*, 72, 177, 178, 179, 314, 331.
- Coccyzus americanus*, 21, 120, 238, 250, 313.
erythrophthalmus, 22, 44, 76, 78, 99, 120, 250, 313.
minor, 250.
minor maynardi, 250.
- Cock-of-the-woods, 313.
- Colaptes auratus*, 22, 44, 53, 76, 78, 99, 117, 119, 147, 176, 183, 202, 229, 252, 281, 314.
cafer, 221, 239, 300.
- Colinus graysoni*, 174.
nigrogularis segoviensis, 172.
- Colinus ridgwayi*, 174, 189.
virginianus, 42, 52, 99, 121, 175, 178, 245, 313.
virginianus cubanensis, 245, 329.
virginianus floridanus, 245.
virginianus texanus, 174, 237.
- Collocalia fuciphaga*, 9, 11.
- Colopteryx inornatus*, 172.
- Columba fasciata*, 173.
leucocephala, 32, 246.
- Columbigallina passerina*, 32, 246.
passerina insularis, 172.
- Colymbus auritus*, 145.
- Collyrio ludovicianus*, 180.
- Compsothlypis americana*, 27, 31, 45, 77, 103, 315.
nigrilora, 94.
pulchra, 93.
- Contopus borealis*, 43, 100, 105, 117, 122, 137, 314.
richardsoni, 239.
vicinus, 172.
virens, 23, 44, 53, 77, 78, 100, 117, 121, 314, 319.
- Conurus carolinensis*, 201, 249, 313, 336.
- Cooke, W. W., notice of his 'Report on Bird Migration in the Mississippi Valley,' 58, 270.
- Coot, American, 156.
- Copurus colonus*, 267.
funnebris, 267.
- Coracopitta*, 79.
- Cormorant*, 133, 215.
 Common, 332.
 Double-crested, 146.
 Farallone, 176.
- Corvus americanus*, 23, 44, 52, 77, 78, 100, 117, 121, 129, 140, 141, 147, 180, 181, 201, 202, 240, 314.
americanus floridanus, 319.
corax, 100.
corax principalis, 52, 147, 211, 277, 292, 293.
corax sinuatus, 23, 277, 314.
cryptoleucus, 173.
ossifragus, 199, 319, 338.
- Cory, C. B., a list of the birds collected by Mr. C. J. Maynard in the Islands of Little Cayman and Cayman Brack, West Indies, 30; notes on West Indian birds, 218; notice of his 'Birds of the West Indies,' 265; *Buteo brachyurus* in Florida, 275; *Anstrostranus vociferus* in Porto Rico,

- 276; a new Duck for Massachusetts, *Nomonyx dominicus*, 336.
- Coues, E., a new generic name for the Elf Owl, 71.
- Cowbird, 23, 44, 72, 100, 113, 307, 320.
- Cox, P., Jr., a bird wave, 241; see also Brittain, J.
- Crake, Spotted, 217.
- Crane, Little Brown, 124.
Sandhill, 152.
- Creeper, Black-and-white, 51.
Brown, 29, 42, 52, 105, 240.
- Crossbill, 197.
American, 24, 118, 148.
American Red, 100.
Red, 43, 100.
White-winged, 24, 148.
- Crotophaga ani, 32.
- Crow, 52, 117, 140, 180, 181, 202.
American, 23, 44, 100, 129, 147.
Common, 240.
Fish, 319, 338.
Florida, 319.
- Crymophilus fulcarius, 134, 194.
- Cuckoo, Black-billed, 22, 44, 99, 250.
Mangrove, 250.
Maynard's, 250.
Yellow-billed, 22, 238, 250.
- Curlew, Long-billed, 158.
- Cyanocitta cristata, 23, 44, 77, 78, 100, 117, 184, 197, 202, 239, 314.
cristata florincola, 319.
stelleri frontalis, 223.
stelleri macrolopha, 193.
- Cyclorhis altirostris, 269.
ochrocephala, 269.
viridis, 269.
- Cyphorhinus griseolateralis, 172.
- DAFILE acuta, 312.
- Davie, O., notice of his 'Nests and Eggs of North American Birds,' 328.
- Davison, S. L., breeding of *Habia ludoviciana* in Niagara County, New York, 191.
- Dendragapus canadensis, 39, 204.
obscurus, 39, 177.
obscurus fuliginosus, 32.
obscurus richardsonii, 39.
- Dendrochelidon coronatum, 11.
mystacea, 9, 10, 11.
wallacei, 9, 11.
- Dendrocolaptes obsoletus, 172.
- Dendroica æstiva, 24, 27, 42, 45, 77, 103, 107, 118, 120, 130, 148, 240, 316.
auduboni, 96, 221.
aurocapilla, 31.
blackburniæ, 27, 42, 46, 51, 103, 120, 316.
cærulea, 27.
cærulescens, 27, 31, 41, 43, 45, 51, 103, 104, 122.
castanea, 27, 42, 106, 138, 198.
chrysoparia, 174.
coronata, 27, 42, 43, 77, 78, 103, 118, 141, 148, 149, 199, 279, 280, 316.
discolor, 31, 198.
dominica, 120, 195, 339.
dominica albilora, 27, 316.
kirtlandi, 75, 279.
maculosa, 27, 43, 77, 103, 104, 106, 118, 120, 148.
nigrescens, 223.
nigrifrons, 94.
palmarum, 28, 31, 183.
pennsylvanica, 27, 41, 46, 50, 77, 78, 103, 120, 316, 341.
striata, 27, 42, 120, 149.
tigrina, 27, 198.
vigorsii, 28, 77, 198.
virens, 27, 46, 51, 74, 77, 78, 103, 118, 120, 149, 316.
vitellina, 31.
- Dendroornis fraterculus, 172.
lawrencei, 171.
lawrencei costaricensis, 171.
- Diablotin, 19, 20.
- Dichrozona zanonota, 172.
- Dickcissel, 25, 137, 240, 324.
- Diomedea albatrus, 333.
- Diver, Great Northern, 176.
Red-throated, 213.
- Dolichonyx oryzivorus, 23, 31, 44, 77, 78, 100, 319.
- Dove, 53, 142.
Ground, 246.
Mourning, 40, 44, 237, 246.
Sea, 183.
White-winged, 160, 246.
- Dovekie, 213.
- Dowitcher, 156.
Long-billed, 156.
- Downs, A., notice of his 'Birds of Nova Scotia', 64.
- Dryobates borealis, 251, 313.
nuttallii, 221.

- Dryobates pubescens*, 22, 44, 52, 76, 78, 99, 117, 121, 147, 238, 251, 253, 313.
pubescens gairdnerii, 221, 253.
pubescens oreæcus, 253.
scalaris, 238.
villosus, 22, 42, 52, 76, 99, 117, 147, 238, 313.
villosus auduboni, 251.
- Duck, Black, 133, 146, 197.
 Chicken-footed, 312.
 Fish, 312.
 Harlequin, 134, 216.
 Labrador, 64.
 Mallard, 211.
 Mottled, 263.
 Pied, 178.
 Ruddy, 184.
 Wood, 176, 179.
- Dutcher, B. H., bird notes from Little Gull Island, Suffolk Co., N. Y., 124.
 Dutcher, W., bird notes from Long Island, New York, 131.
- Dwight, J., Jr., *Sterna paradisæa*—A correction.
- EAGLE, Bald, 117, 237, 248.
 Golden, 175.
 Gray Sea, 291.
- Eames, E. H., notes on the Blue-winged Warbler and its allies (*Helminthophila pinus*, *H. leucobronchialis*, *H. lawrencei*, and *H. chrysoptera*) in Connecticut, 305; the Fish Crow (*Corvus ossifragus*) in Connecticut, 338.
- Ectopistes migratorius, 201, 285, 302, 313.
- Egret, American, 17.
 Peale's, 14.
 Reddish, 18.
- Eider, Greenland, 216.
 King, 216.
- Elainea albiceps, 269.
 martinica, 31.
 modesta, 269.
- Elanoides forficatus, 246, 313.
- Elanus leucurus, 247.
- Elliot, D. G., descriptions of supposed new species of Humming-birds belonging to the genus *Amazilia* and *Eriocnemis*, 209.
- Elliott, H. W., the Cowbird (*Molothrus ater*) as a fly-destroyer, 72.
- Elliott, S. L., death of, 206.
- Emberiza unalaschcensis, 109.
- Empidagra albiceps, 269.
- Empidagra suiriri, 269.
- Empidonax acadicus, 23, 24, 120, 199, 314, 319.
 cineritius, 86, 87.
 difficilis, 86, 222.
 flaviventris, 23, 42, 86, 239, 314, 332.
 griseus, 87.
 hammondi, 88.
 minimus, 23, 44, 71, 77, 78, 100, 117, 121, 144, 147, 314.
 obscurus, 88.
 pulverius, 86.
 pusillus traillii, 23, 44, 71, 78, 100, 314.
 wrightii, 89.
- Engyptila vinaceiventris, 172.
 wellsii, 21.
- Ereunetes occidentalis, 69, 157.
 pusillus, 69, 128, 157.
- Eriocnemis incultus, 210.
- Erismatura rubida, 184.
- Euetheia canora, 329.
 olivacea, 31.
- Euphonia affinis, 91.
 godmani, 90.
 minima, 91.
- Euphonia, Godman's, 90.
- Euryzona eurizonoides, 173.
 eurizonoides amauroptera, 173.
- Evans, E. M., *Calamospiza melanocorys* on Long Island, N. Y., 192.
- Evermann, B. W., birds of Carroll County, Indiana, 22; the Wood Ibis in Indiana, 186.
- FALCO columbarius, 147, 248, 313.
 fusco-cærulescens, 173.
 islandus, 292.
 peregrinus anatum, 44, 248, 276, 292, 293.
 rusticolus, 292.
 sparverius, 221, 237, 248, 313.
 sparveroides, 329.
- Falcon, Aplomado, 173.
 Peregrine, 292.
- Faxon, W., on the summer birds of Berkshire County, Massachusetts, 39, 99; *Molothrus ater* in Massachusetts in December, 72.
- Finch, Lark, 25, 303.
 Lincoln's, 90.
 Nelson's Sharp-tailed, 340.
 Pine, 43, 118.
 Purple, 24, 44, 100, 118, 147, 280.

- Finch, Seaside, 197, 303.
 Sharp-tailed, 303, 322.
 Fish-hawk, 180.
 Flamingo, American, 13.
 Flicker, 117, 147, 239, 252, 300.
 Red-shafted, 239.
 Flycatcher, Acadian, 23, 24, 319.
 Crested, 23, 44, 100, 319.
 Gray, 87.
 Least, 23, 44, 71, 100, 117.
 Olivaceous, 276.
 Olive-sided, 43, 100, 105, 117,
 137.
 Scissor-tailed, 161, 239, 318.
 Sierra Madre, 86.
 Traill's, 23, 44, 71, 100.
 Yellow-bellied, 23, 42, 239,
 332.
 Fowl, Sage, 33.
Fratercula arctica, 145, 213.
Fregata aquila, 180.
Fulica americana, 156, 201, 312.
 Fulmar, 215.
 Tropical, 131.
Fulmarus glacialis, 215.
 glacialis rogersii, 333.

 GALEOSOPTES *carolinensis*, 23, 31,
 46, 53, 77, 79, 105, 120, 316.
Gallinago delicata, 146, 156, 312.
Gallinula eurizonoides, 7.
 galeata, 155, 194, 222, 273.
 Gallinule, 222.
 Florida, 155, 194, 273.
 Purple, 64, 155, 184, 198.
 Gannet, 145, 146.
 Blue-footed, 67.
 Brewster's, 67.
 Gault, B. T., the Lapland Longspur
 near Chicago in June, 278.
Gavia alba, 213.
Gelochelidon nilotica, 311.
Geococcyx californianus, 221, 238.
Geothlypis agilis, 28, 193.
 beldingi, 329.
 formosa, 28, 139, 198, 199,
 304, 316.
 philadelphia, 28, 42, 43, 103,
 119, 198, 332.
 trichas, 24, 28, 31, 46, 53, 77,
 78, 104, 119, 121, 149, 316.
 trichas occidentalis, 223.
 trichas roscoe, 167.
Geotrygon martinica, 160, 246.
 montana, 160, 246.
Glaucionetta islandica, 216.
 Gnatcatcher, Black-fronted, 97.
 Blue-gray, 29, 204, 241, 305.
 California Black-capped, 173.

 Godwit, Hudsonian, 340.
 Marbled, 157.
 Golden-eye, Barrow's, 216.
 Goldfinch, American, 24, 44, 100,
 118, 321.
 Goose, Blue, 68.
 Snow, 195.
 Goss, N. S., additions to the cata-
 logue of the birds of Kansas, with
 notes in regard to their habits,
 122.
 Gould, J., notice of his 'Birds of
 New Guinea,' 269; notice of the
 supplement to his monograph of
 the Trochilidæ, 334.
 Gourdk, 312.
 Grackle, 141, 201.
 Boat-tailed, 321.
 Bronzed, 24, 117.
 Florida, 321.
 Rusty, 117.
 Grebe, Horned, 145.
 Western, 122.
 Green, M. M., Baird's Sandpiper in
 Central New York, 68.
 Grosbeak, Blue, 64, 324.
 Cardinal, 24.
 Evening, 72, 177, 178, 179,
 331.
 Pine, 117.
 Rose-breasted, 25, 45, 101,
 122, 191, 324.
 Grouse, Blue, 32.
 Canada, 39.
 Canadian-Ruffed, 117.
 Dusky, 39, 177.
 Richardson's, 39.
 Ruffed, 44, 52, 99, 175, 177.
 Sharp-tailed, 33, 300.
 Sooty, 32.
Grus americana, 312.
 canadensis, 124.
 mexicana, 152.
Guara alba, 15.
 rubra, 15.
 Guillemot, Black, 145, 213.
Guiraca cærulea, 64, 315, 324.
 Gull, American Herring, 146.
 Glaucous, 213.
 Great Black-backed, 145, 214,
 215.
 Iceland, 214, 215.
 Ivory, 213.
 Kittiwake, 178.
 Gyrfalcon, Gray, 292.
 White, 292.

 HABIA *ludoviciana*, 25, 45, 77, 101,
 122, 191, 201, 315, 324.

- Hæmatopus palliatus*, 160.
Haliæetus albicilla, 211, 291.
 leucocephalus, 76, 79, 117,
 237, 248, 313.
 Hardy, M., additional notes on the
 Bittern, 187.
Harporhynchus lecontei, 280.
 longirostris sennetti, 171.
 rufus, 29, 42, 43, 46, 77, 79,
 105, 121, 204, 305, 316.
 Harvie-Brown, J. A., 'Bird Migration
 in the Mississippi Valley'
 by W. W. Cooke, 270.
 Hasbrouck, E. M., restoration of
 an Audubonian form of *Geothlypis*
 trichas to the American
 avifauna, 167; summer birds of
 Eastland County, Texas, 236.
 Hawk, Broad-winged, 248.
 Cooper's, 117, 237, 247.
 Duck, 44, 248, 276, 293.
 Florida Red-shouldered, 247.
 Krider's, 70.
 Marsh, 44, 129, 147, 237, 247.
 Pigeon, 147, 248.
 Red-shouldered, 183, 237, 247.
 Red-tailed, 44, 99, 247.
 Sharp-shinned, 117, 247.
 Short-tailed, 248.
 Sparrow, 237, 248.
 Swainson's, 173, 237.
 Zone-tailed, 173.
Helinaia swainsonii, 315.
Helminthophila bachmani, 278.
 celata lutescens, 223.
 chrysoptera, 27, 192, 279, 305,
 315.
 lawrencei, 192, 305.
 leucobronchialis, 192, 198,
 304, 305.
 peregrina, 27, 102, 118, 138,
 184, 201, 315.
 pinus, 27, 192, 199, 279, 305.
 ruficapilla, 27, 40, 41, 42, 43,
 45, 77, 102, 198, 304, 315.
Helmitherus vermivorus, 24, 31,
 199, 315.
 Hen, Pine, 32.
 Hendrickson, W. F., the Chesnut-
 collared and Lapland Longspurs
 on Long Island, N. Y., 190.
 Heron, Black-crowned Night, 18.
 Great Blue, 236.
 Great White, 16.
 Green, 18, 53.
 Little Blue, 18.
 Louisiana, 18.
 Snowy, 18.
 Ward's, 17.
 Heron, White, 183.
 Wuerdemann's, 16.
 Yellow-crowned Night, 18,
 184, 331.
Heterocnemis hypoleuca, 172.
Himantopus mexicanus, 156.
Histrionicus histrionicus, 67, 134,
 216.
 Hitchcock, F. H., the Connecticut
 Warbler in Vermont, 193.
 Homeyer, E. F. v., death of, 341.
 Hudson, W. H., see Sclater, P. L.
 Hummingbird, 23, 177, 180.
 Ruby-throated, 44, 53, 99, 252.
 IBIS, Glossy, 15.
 Scarlet, 15.
 White, 15.
 Wood, 16, 186.
Icteria virens, 28, 40, 42, 43, 46,
 104, 121, 199, 316.
Icterus bullocki, 223.
 galbula, 24, 42, 44, 60, 77,
 100, 121, 181, 240, 314.
 spurius, 24, 40, 44, 314, 320.
Ictinia mississippiensis, 247, 313.
Indigo-bird, 45, 53, 101.
Ionornis martinica, 70, 155, 184, 198.
 JACK, 312.
 Black, 312.
 Jaeger, Parasitic, 125, 160, 213.
 Pomarine, 125.
 Jay, Arizona, 173.
 Blue, 23, 44, 100, 117, 184,
 197, 202, 239.
 Canada, 117.
 Florida, 319.
 Florida Blue, 319.
 Long-crested, 193.
 Oregon, 235.
 Rocky Mountain, 230.
 Jeffries, J. A., see Jeffries, W. A.
 Jeffries, W. A., *Chen caerulescens* in
 Massachusetts, 68; Sandpipers
 at sea—a correction, 69; birds
 observed at Santa Barbara, Cali-
 fornia, 220.
 Jeffries, W. A., and J. A., notes
 on Western North Carolina
 birds, 119.
 Johnson, F. O., *Poliophtila plumbea*
 at Palm Springs, California, 280.
 Johnson, L. N., The Wild Turkey
 in the North Carolina mountains,
 275.
 Jordan, D. S., notice of his new
 manual of vertebrates, 63.

- Junco hyemalis*, 25, 41, 43, 45, 77, 78, 101, 118, 121, 140, 141, 148, 221, 241, 242, 315, 332.
hyemalis carolinensis, 51, 121.
hyemalis oregonus, 221.
- Junco*, 118, 241, 242.
 Slate-colored, 25, 148, 332.
- KEYES, C. R.**, and Williams, H. S., notice of their preliminary catalogue of the birds of Iowa, 332.
- Kidder, J. H., death of, 282.
- Killdeer, 69, 159, 195, 237.
- Kimball, F. H., mortality among Eave Swallows, 338.
- Kingbird, 23, 44, 53, 100, 117, 147, 202, 318.
 Gray, 318.
- Kingfisher, 22, 117, 238, 251.
 Belted, 44, 129, 147.
- Kinglet, Golden-crowned, 29, 42, 105, 142, 149.
 Ruby-crowned, 29, 75, 142.
- Kite, Everglade, 247.
 Mississippi, 247.
 Swallow-tailed, 246.
 White-tailed, 247.
- Kittiwake, 145, 213.
- Knot, 156, 196.
- Kohn, G., *Saxicola œnanthe* in Louisiana, 76; Brewer's Black-bird near New Orleans, 190.
- Kumlien, T., death of, 81, 204.
- LAGOPUS rupestris reinhardti**, 211, 217.
- Lanius borealis*, 26, 175, 315.
ludovicianus, 138, 180, 192, 195, 198, 224, 304.
ludovicianus excubitorides, 26, 74, 192, 224, 240.
- Lark, Horned, 137, 195, 198.
 Prairie Horned, 23, 71.
 Shore, 190, 191.
- Larus argentatus smithsonianus*, 146, 311.
atricilla, 311.
californicus, 222.
delawarensis, 311.
franklinii, 311.
glaucescens, 222.
glaucus, 214, 215.
leucopterus, 214, 215.
marinus, 145, 214, 215.
minutus, 329.
occidentalis, 222.
- Lawrence, G. N., an account of the breeding habits of *Puffinus auduboni* in the Island of Grenada
- West Indies, with a note on *Zenaidura rubripes*, 19; remarks upon abnormal coloring of plumage observed in several species of birds, 46; a new name for the species of *Sporophila* from Texas, generally known as *S. morelleti*, 53; notice of his description of *Catharus berlepschi*, 173.
- Leptasthenura ægithaloides*, 269.
platenura, 269.
- Leucosticte tephrocotis littoralis*, 341.
- Limosa fedoa*, 157.
hæmastica, 340.
- Limpkin, 152.
- Linnæan Society of New York, proceedings of, 196.
- Linnet, 174.
- Longspur*, Chestnut-collared, 190, 340.
 Lapland, 137, 190, 211, 278, 296, 297.
 McCown's, 340.
- Loomis, L. M., a rare bird in Chester Co., South Carolina, 74; another Western bird in South Carolina, 194; the Raven as a South Carolinian, 277.
- Loon, 145, 213.
- Lophodytes cucullatus*, 312.
- Loxia curvirostra*, 118.
curvirostra minor, 24, 43, 100, 148, 197, 201.
leucoptera, 24, 148, 201.
- Lucas, F. A., the main divisions of the Swifts, 8; costal variations in birds, 195.
- MACRORHAMPHUS griseus**, 156.
scolopaceus, 156.
- Magpie, American, 181.
 Black-billed, 299.
 Yellow-billed, 180.
- Mallard, 133, 179, 215.
- Marshall, A. F., death of, 80.
- Martin, Cuban, 325.
 Purple, 25, 53, 339.
 Western, 92.
- Mason, E. C., the Turkey Buzzard in Massachusetts, 70.
- Meadowlark, 24, 44, 142, 175, 203.
 Mexican, 320.
- Megalestris skua*, 176, 331.
- Megascops asio*, 189, 299, 313.
asio floridanus, 249.
asio kennicottii, 299.
asio maxwelliæ, 298.
asio mcallii, 237.

- Melanerpes aurifrons*, 238.
carolinus, 22, 179, 204, 238, 251, 314, 337.
erythrocephalus, 22, 53, 198, 202, 238, 251, 313, 340.
formicivorus bairdi, 221.
Melanipitta, 79.
Meleagris gallopavo, 121, 184, 246, 275, 313.
Melopitta, 79.
Melopelia leucoptera, 160, 246.
Melospiza fasciata, 25, 45, 77, 78, 101, 118, 130, 138, 148, 183, 197, 241, 242, 315, 323.
fasciata heermanni, 221.
fasciata montana, 240.
fasciata rivularis, 329.
georgiana, 25, 45, 78, 118, 148, 183, 323.
lincolni, 25, 221.
lincolni striata, 89.
Merganser americanus, 117, 312.
serrator, 146, 215, 222, 312.
Merganser, American, 117.
Red-breasted, 146, 215.
Merriam, C. H., a Hawk bearing a legend; 276.
Merriam, F. A., notice of her 'Birds Through an Opera Glass', 330.
Merula migratoria, 30, 46, 52, 78, 79, 107, 119, 122, 131, 141, 150, 175, 177, 182, 202, 203, 241, 281, 316.
migratoria propinqua, 73, 193, 222.
Micrathena, 71.
Micrathene, 71.
Microcerculus daulias, 171.
Micropalama himantopus, 156, 341.
Micropallas 71.
Micropallas whitneyi, 276.
Micropus apus, 9, 11.
melanoleucus, 223.
subfurcatus, 9.
Milvulus forficatus, 161, 239, 318.
Mimocichla ravida, 30.
rubripes, 30, 31.
Mimus gracilis leucophæus, 171.
polyglottos, 121, 197, 240, 304, 316, 340.
Minor ornithological publications, 174.
Mniotilta varia, 26, 45, 51, 77, 102, 121, 130, 131, 148, 315.
Mockingbird, 121, 240, 304, 340.
Molothrus ater, 23, 44, 72, 100, 113, 201, 307, 314, 320.
Morris, R. O., birds near Spring-field, Massachusetts; 340.
Murre, 145.
Brünnich's 145, 213.
Myadestes townsendii, 184, 193.
Myiarchus cinerascens, 223.
crinitus, 23, 44, 78, 100, 121, 314, 319.
dominicensis, 184.
lawrenceii, 329.
lawrenceii olivascens, 276.
Myiozetetes texensis, 329.
NAUCLERUS forficatus, 182.
Nelson, E. W., notice of his 'Report upon natural history collections made in Alaska', 61.
Nighthawk, 22, 44, 99, 117.
Chapman's, 252.
Cuban, 183.
Western, 239.
Nomonyx dominicus, 336.
Numenius hudsonicus, 223.
longirostris, 158.
phæopus, 217.
Nutcracker, Clarke's 123, 226.
Nuthatch, Red-bellied, 42, 52, 105, 332.
Red-breasted, 29, 119, 149.
White-bellied, 105, 241.
White-breasted, 29.
Nyctala acadica, 178, 189, 329.
Nyctea nyctea, 174, 179, 195, 293.
Nycticorax nycticorax nævius, 18.
violaceus, 18, 184, 331.
OCEANITES oceanicus, 128, 131, 132, 197.
Oceanodroma furcata, 333.
leucorhoa, 128, 131, 146, 215, 340.
leucorhoa macrodactyla, 178.
Oidemia deglandi, 146.
perspicillata, 123, 222.
Old-squaw, 216.
Olor—?, 312.
Oporornis agilis, 183.
Oriole, Baltimore, 24, 42, 44, 60, 100, 181, 240.
Orchard, 24, 40, 44, 320.
Ornithion napæum, 172.
Osprey, 178.
American, 117, 129, 248.
Otocoris alpestris, 72, 137, 190, 191, 195.
alpestris praticola, 23, 71, 198, 200.
alpestris rubea, 222.
Ouzel, Water, 75.
Oven-bird, 24, 28, 118, 149.

- Owl, American Barn, 303.
 American Long-eared, 299.
 Barn, 184, 248.
 Barred, 237.
 Burrowing, 177.
 Elf, 276.
 Florida Barred, 248.
 Florida Burrowing, 249.
 Florida Screech, 249.
 Great Horned, 117, 249.
 Kennicott's Screech, 299.
 Prairie, 175.
 Rocky Mountain Screech, 298.
 Saw-whet, 178, 189.
 Screech, 189.
 Short-eared, 147, 175.
 Snowy, 174, 179, 195, 293.
 Texas Screech, 237.
 Western Horned, 238.
- Oyster-catcher, American, 160.
- PALMER, W., occurrence of Traill's Flycatcher near Washington, D. C., 71; first occurrence of the Philadelphia Vireo near Washington, D. C., 74.
- Pandion haliaëtus, 117.
 haliaëtus carolinensis, 129, 178, 180, 248.
- Panyptila saxatilis, 9.
- Paroquet, Carolina, 249.
- Parrakeet, 336.
- Partridge, Spruce, 204.
- Parula, Beautiful, 93.
- Parus atricapillus, 29, 46, 77, 79, 105, 119, 121, 144, 149, 316.
 atricristatus, 241.
 bicolor, 29, 75, 120, 305, 316.
 carolinensis, 29, 75, 120, 316, 331.
 carolinensis agilis, 241.
 hudsonicus, 119, 149, 204.
 inornatus, 221.
- Passer domesticus, 45, 101, 140, 174, 176, 177, 179, 180, 181, 197, 198, 297, 316, 326.
 montanus, 316, 326.
- Passerella iliaca, 25, 107, 148, 176, 315, 323.
 iliaca megarhyncha, 107, 111.
 iliaca schistacea, 107, 113.
 iliaca unalascensis, 107, 109.
- Passerina ciris, 240, 324.
 cyanea, 24, 25, 45, 53, 77, 78, 101, 121, 315, 324.
- Pediocætes phasianellus campestris, 301.
- Pediocætes phasianellus columbianus 33.
- Pelecanus erythrorhynchos, 176, 312.
 fuscus, 333.
- Perisoreus canadensis, 117.
 canadensis capitalis, 230.
 canadensis obscurus, 235.
- Petasophora cornucans, 209.
- Petrel, Black-capped, 132.
 Fork-tailed, 131.
 Leach's, 128, 131, 146, 215, 340.
 Least, 131.
 Stormy, 131, 132.
 Wilson's, 128, 131, 132, 197.
- Petrochelidon lunifrons, 25, 45, 77, 102, 223, 315, 338.
- Peucæa æstivalis, 323.
 æstivalis bachmanii, 323.
 cassini, 240.
- Pewee, 23, 44, 100.
 Western Wood, 239.
 Wood, 23, 44, 53, 100, 117, 319.
- Phacellodomus ruber, 269.
 striaticollis, 269.
- Phalacrocorax carbo, 133, 200, 215, 332.
 dilophus, 146, 332.
 dilophus albociliatus, 176.
 urile, 333.
- Phalænoptilus nuttalli, 124.
 nuttalli nitidus, 124, 239.
- Phalarope, Northern, 68, 134.
 Red, 134, 194.
- Phalaropus lobatus, 68, 134, 336.
 tricolor, 312, 336.
- Phasianus torquatus, 284.
- Pheasant, Mongolian, 284.
- Philohela minor, 156, 178, 179, 312.
- Phlogopsis bowmani, 172.
- Phœbe, 276, 319.
- Phœnicopterus ruber, 13.
- Phyllosteus borealis, 329.
- Pica nuttalli, 180.
 pica hudsonica, 181, 299.
- Picicorvus columbianus, 123, 226.
- Picoides americanus, 204.
 arcticus, 117, 136, 183, 204.
- Picus turati, 254.
- Pigeon, Band-tailed, 173.
 Passenger, 201, 302.
 White-crowned, 246.
 Wild, 285.
- Pindar, L. O., list of the birds of Fulton County, Kentucky, 310.
- Pinicola enucleator, 117, 314.

- Pipilo erythrophthalmus*, 24, 25, 41, 42, 43, 45, 77, 78, 101, 121, 142, 280, 315.
erythrophthalmus alleni, 323.
fuscus crissalis, 221.
maculatus arcticus, 151, 152.
maculatus megalonyx, 223.
 Pipit, American, 28.
Piranga erythromelas, 24, 25, 42, 45, 77, 78, 101, 315, 324, 341.
 rubra, 240, 315, 324.
Pitangus caudifasciatus, 32.
Pitylus poliogaster scapularis, 172.
Plautus impennis, 64, 176, 178, 195.
Plectrophenax nivalis, 24, 211, 295, 341.
Plegadis autumnalis, 15, 64.
 Plover, American Golden, 159.
 Black-bellied, 158.
 Golden, 180, 217.
 Killdeer, 199, 255, 274.
 Piping, 147, 159.
 Ring, 217.
 Semipalmated, 147, 159.
 Wilson's, 159, 195, 196, 331.
Podilymbus podiceps, 311.
Polioptila cærulea, 29, 120, 204, 221, 241, 305, 316.
 californica, 173.
 nigriceps, 98.
 nigriceps restricta, 97.
 plumbea, 280.
Poocætes gramineus, 25, 44, 77, 78, 100, 144, 314, 321.
 Poor-will, Frosted, 124.
 Hoary, 239.
Porzana carolina, 155.
 exilis vagans, 172.
 porzana, 217.
Pratincola salax, 331.
 sybilla, 331.
 Prejevalsky, N. M., death of, 80.
 Prime, W. C., the Northern Phalarope (*Phalaropus lobatus*) in the Franconia Mountains, New Hampshire, 68.
Procellaria pelagica, 131, 132.
Procnias tersa, 48.
Progne cryptoleuca, 329.
 subis, 25, 53, 77, 78, 93, 201, 315, 325, 339.
 subis cryptoleuca, 325.
 subis hesperia, 92.
Protonotaria citrea, 26, 195, 315.
Psaltriparus lloydi, 329.
 minimus californicus, 221.
 plumbeus, 173.
 santaritæ, 172.
Psittacula cyanopyga, 85.
 cyanopyga pallida, 85.
 deliciosa, 172.
 exquisita, 172.
 insularis, 172.
 passerina vivida, 172.
Psittovius subcæruleus, 47.
 tovi, 47.
 Ptarmigan, Reinhardt's, 217.
 Publications received, 65, 184, 272, 334.
 Puffin, 145, 213.
Puffinus auduboni, 19.
 borealis, 126, 128, 183.
 major, 183.
 QUAIL, 42, 53, 175, 178.
 Quail-dove, Key West, 160, 246.
 Ruddy, 160, 246.
Quiscalus gundlachi, 31.
 major, 321.
 quiscula, 117, 141, 314.
 quiscula æneus, 24, 44, 201, 314.
 quiscula aglæus, 320, 321.
 RAGSDALE, G. H., on the hiatus existing between the breeding ranges of the Loggerhead and White-rumped Shrikes, 224.
 Rail, Clapper, 153.
 King, 153.
 Scott's, 153.
 Virginia, 155, 177.
Rallus coryi, 163, 165.
 crassirostris, 161.
 crepitans, 161-166.
 crepitans saturatus, 164-166.
 elegans, 153.
 longirostris, 161, 165, 166.
 longirostris caribæus, 162-165.
 longirostris crepitans, 153, 162.
 longirostris saturatus, 162, 163.
 longirostris scottii, 153, 162.
 obsoletus, 162, 163, 165, 166.
 scottii, 163-166.
 virginianus, 155, 177.
 Raven, 52, 100, 211, 277, 292.
 American, 23, 293.
 Northern, 147.
 White-necked, 173.
Recurvirostris americana, 223.
 Redpoll, 24, 211, 293, 297.
 Redstart, 40, 119.
 American, 28, 46, 104, 131, 149

- Reed, J. H., *Troglodytes ædon*, House Wren, building in a hornets' nest, 339.
- Regulus calendula, 29, 75, 79, 142, 316.
 satrapa, 29, 42, 51, 79, 105, 142, 149, 181, 316.
- Rhegmatorhina gymnops, 172.
- Rhynchophanes mccownii, 340.
- Rhynchops nigra, 178.
- Richardson, J., the Florida Gallinule breeding in Vermont, 273.
- Richmond, C. W., another Saw-whet Owl (*Nyctala acadica*) in the District of Columbia, 189; the Yellow-throated Warbler (*Dendroica dominica*) near Washington, D. C., 339.
- Ridgway, R., notice of his recent papers on American birds, 171.
- Rissa tridactyla, 145, 178, 213.
- Rives, W. C., Jr., notes on the birds of White Top Mountain, Virginia, 50.
- Road-runner, 238.
- Robin, 57, 73, 119, 122, 141, 175, 177, 182, 193, 202, 203, 222, 241, 281.
 American, 30, 46, 107, 131, 150.
- Robinson, W., some rare Rhode Island birds, 194; some rare Virginia birds, 194.
- Rostrhamus sociabilis, 247.
- SAGE, J. H., the interbreeding of *Helminthophila pinus* and *H. chrysoptera*, 279.
- Salpinctes obsoletus, 183, 221.
- Sanderling, 157.
- Sandpiper, Baird's, 68.
 Bartramian, 158, 237.
 Buff-breasted, 136.
 Least, 146, 157.
 Pectoral, 157.
 Purple, 156, 217.
 Red-backed, 157.
 Semipalmated, 128, 157.
 Solitary, 117, 158, 195.
 Spotted, 43, 53, 99, 117, 128, 147, 158, 195, 237.
 Stilt, 156.
 Western, 69, 157.
 White-rumped, 157, 340.
- Sapsucker, Yellow-bellied, 22, 117.
- Saxicola œnanthe, 64, 76, 211, 297.
- Sayornis nigricans, 221.
 phœbe, 23, 44, 77, 78, 100, 120, 141, 199, 276, 314, 319.
- Sayornis saya, 221.
- Scalater, P. L., notice of his catalogue of the Mesomyodian Passeres, 266.
- Scalater, P. L., and Hudson, W. H., notice of their 'Argentine Ornithology,' 268.
- Scolecophagus carolinus, 24, 117, 147, 303, 314.
 cyanocephalus, 190, 220.
- Scoter, Surf, 123.
 White-winged, 146.
- Scotiapex cinerea lapponica, 329.
- Scott, W. E. D., a summary of observations on the birds of the Gulf Coast of Florida, 13, 152, 245, 318; records of rare birds at Key West, Florida, and vicinity, with a note on the capture of a Dove (*Geotrygon montana*) new to North America, 160; on the specific identity of *Buteo brachyurus* and *Buteo fuliginosus*, with additional records of occurrence in Florida, 243; a second specimen of Cory's Bittern (*Botaurus neoxenus*), 317.
- Seiurus auropigillus, 24, 31, 46, 77, 78, 103, 104, 118, 149, 197, 316.
 motacilla, 28, 199.
 noveboracensis, 28, 31, 46, 118, 149, 316.
- Sennett, G. B., first description of the egg of *Glaucidium phalænoides*, Ferruginous Pygmy Owl, 70; *Troglodytes ædon*, House Wren, breeding in a sand bank, 76; the Clapper Rails of the United States and West Indies compared with *Rallus longirostris* of South America, 161; a new species of Duck from Texas, 263; *Micropallas whitneyi*, Elf Owl, taken in Texas, 276.
- Setophaga ruticilla, 28, 31, 40, 46, 77, 79, 104, 119, 121, 131, 149, 316.
- Sharpe, R. B., notice of his 'Birds in Nature,' 63.
- Shearwater, Cory's, 126, 128, 183.
 Greater, 183.
- Shrike, Loggerhead, 74, 138, 192, 195, 224, 304.
 Northern, 26.
 White-rumped, 26, 224, 240.
- Shufeldt, R. W., notes on Brewster's and the Blue-footed Gannet, 66; notes upon the sudden

- appearance in numbers of the Evening Grosbeak, at Fort Wingate, New Mexico; 72; notice of his recent papers on the osteology of North American birds, 333.
- Sialia mexicana*, 221.
- sialis*, 30, 42, 46, 78, 79; 107, 121, 141, 184, 197, 202, 241, 316.
- Siskin, Pine, 24, 100, 148.
- Sitta canadensis*, 29, 42, 52, 105, 107, 119, 149, 184, 193, 316, 332.
- carolinensis*, 29, 77, 79, 105, 121, 240, 316.
- carolinensis aculeata*, 223.
- Skimmer, Black, 178.
- Skua, 331.
- Skylark, English, 177.
- Snipe, Wilson's, 146, 156.
- Snowbird, 41, 43, 45, 101, 104, 140.
- Snowflake, 24, 211, 295.
- Solitaire, Townsend's, 193.
- Somateria mollissima borealis*, 216.
- spectabilis*, 216.
- Sora, 155.
- Sparrow, Bachman's, 323.
- Bay-winged, 44, 100.
- Black-throated, 240.
- Cassin's, 240.
- Chipping, 25, 45, 101, 118, 142, 197, 323.
- English, 140, 174, 176, 177, 181, 197, 198, 326.
- European House, 297.
- European Tree, 326.
- Field, 25, 42, 45, 101, 142, 148, 303, 323.
- Forbush's, 89.
- Fox, 25, 107, 148, 176, 323.
- Grasshopper, 25, 40, 44, 198, 321.
- Harris's, 150.
- Henslow's, 44, 194, 322.
- House, 45, 101, 180.
- Ipswich, 64.
- Lark, 322.
- Lincoln's, 25.
- Mountain Song, 240.
- Pine-woods, 323.
- Savanna, 25, 44, 101, 148, 321.
- Scott's Seaside, 322.
- Seaside, 130.
- Slate-colored, 107, 113.
- Song, 25, 45, 101, 118, 130, 138, 148, 183, 197, 241, 242, 323.
- Sparrow, Swamp, 25, 45, 118, 148, 183, 323.
- Thick-billed, 107, 111.
- Townsend's, 107, 109.
- Tree, 25, 300.
- Vesper, 25, 321.
- Western Lark, 240.
- White-crowned, 25, 152.
- White-throated, 25, 42, 43, 101, 118, 148, 183.
- Speotyto cunicularia floridana*, 249.
- cunicularia hypogæa*, 175, 177, 221.
- Spermophila albigularis*, 53.
- morelleti*, 53.
- parva*, 53.
- Sphyrapicus ruber*, 71.
- varius*, 22, 43, 53, 76, 99, 117, 251, 313.
- Spinus lawrencei*, 223.
- pinus*, 24, 43, 100, 118, 148, 314.
- psaltria*, 222.
- tristis*, 24, 44, 53, 77, 78, 100, 118, 118, 119, 222, 314, 321.
- Spiza americana*, 25, 137, 194, 240, 315, 324.
- Spizella domestica*, 181.
- monticola*, 25, 315.
- monticola ochracea*, 300.
- pusilla*, 25, 42, 45, 77, 78, 101, 121, 142, 148, 303, 315, 323.
- pusilla arenacea*, 329.
- socialis*, 25, 45, 77, 78, 101, 118, 120, 142, 197, 315, 323.
- socialis arizonæ*, 223.
- Spoonbill, Roseate, 14.
- Sporophila morelleti*, 53, 54.
- morelleti sharpei*, 53, 54.
- parva*, 54.
- Stejneger, L., the proper name for the genus *Melanipitta* of Schlegel, 79; notice of his papers on the Japanese Creepers and on the type specimen of *Euryzona eurizonoides*, 173.
- Stelgidopteryx serripennis*, 26, 199, 201, 223, 315, 325.
- Stercorarius parasiticus*, 125, 160, 213.
- pomarinus*, 125.
- Sterna dougalli*, 127.
- forsteri*, 66, 311.
- hirundo*, 126, 146, 186, 311.
- paradisæa*, 186.
- tachegrava*, 198.
- Stevenson, H., death of, 79.

- Stilt; Black-necked, 156.
- Stone, W., graphic representation of bird migration, 139; notice of his 'Catalogue of the Muscicapidæ in the Collection of the Philadelphia Academy of Natural Sciences,' 330.
- Strix pratincola, 184, 248, 303, 313.
- Sturnella magna, 24, 44, 142, 175, 203, 314.
 magna inexpectata, 172.
 magna mexicana, 320, 329.
 magna neglecta, 220.
- Sula bassana, 145, 146, 333.
 brewsteri, 67.
 cyanops, 31, 32.
 gossi, 67.
- Surnia ulula, 329.
- Swallow, Bank, 26, 45, 118, 130, 148, 197, 325.
 Barn, 26, 45, 53, 102, 118, 130, 201, 325.
 Cliff, 25.
 Eave, 45, 102, 338.
 Rough-winged, 26, 120, 325.
 Tree, 26, 118, 130, 325.
 White-bellied, 40, 102, 201, 303.
- Swift, Chimney, 22, 44, 53, 99, 117, 142, 252, 339.
- Sylvania canadensis, 28, 41, 43, 46, 52, 103, 104, 119, 316, 332.
 mitrata, 28, 339, 199.
 pusilla, 28.
 pusilla pileolata, 223.
- Symphemia semipalmata, 158, 312.
 semipalmata inornata, 158.
- Syrnium nebulosum, 237, 313.
 nebulosum alleni, 248, 275.
- TACHYCINETA bicolor, 26, 40, 102, 118, 130, 199, 201, 222, 303, 315, 325.
 thalassina, 120, 222.
- Tanager, Scarlet, 24, 25, 42, 45, 101, 324,
 Summer, 240, 324.
- Tantalus loculator, 16, 186, 312.
- Taylor, W. E., notice of his catalogue of Nebraska birds, 332.
- Teal, Cinquamon, 160.
- Tern, Caspian, 198.
 Common, 126, 146.
 Forster's, 66.
 Roseate, 127.
- Tetrao tetrix, 176.
- Thalurania townsendi, 172.
- Thamnophilus inornatus, 172.
 intermedius, 172.
- Thorne, P. M., the Olivaceous Fly-catcher, and Phœbe in Colorado, 276; *Phalaropus lobatus* and *Phalaropus tricolor*, 336.
- Thrasher, 121.
 Brown, 29, 42, 43, 46, 105, 305.
- Thrush, Alice's, 149.
 Bicknell's 42, 64, 194.
 Bicknell's Gray-cheeked, 106.
 Eastern Hermit, 46, 107.
 Golden-crowned, 46, 103, 104, 197.
 Hermit, 30, 40, 41, 42, 43, 104, 119, 149, 175, 332.
 Olive-backed, 30, 149.
 Swainson's, 42, 107.
 Wilson's, 29, 46, 106, 149.
 Wood, 24, 29, 40, 42, 43, 46, 106, 204.
- Thryophilus sinaloa, 97.
 sinaloa cinereus, 96.
 tænioptera, 172.
- Thryothorus bewickii, 121, 316.
 bewickii bairdi, 240.
 herberti, 172.
 ludovicianus, 29, 120, 240, 305, 316.
 oyapocensis, 172.
 rufalbus, 172.
 rufalbus castanonotus, 171.
 rufalbus var. poliopleura, 172.
- Tigrisoma excellens, 172.
- Titlark, American, 240.
- Titmouse, Black-crested, 241.
 Plumbeous, 241.
 Tufted, 29, 75, 305.
- Torrey, B., the 'booming' of the Bittern, 1; Bicknell's Thrush breeding in Vermont, 194; the Killdeer Plover (*Ægialitis vocifera*) wintering on the New England coast; 274.
- Totanus flavipes, 158, 328.
 melanoleucus, 146, 157, 200, 223, 258.
 solitarius, 117, 158, 195.
- Towhee, 24, 25, 41, 42, 43, 45, 101, 142, 280.
 Arctic, 152.
 White-eyed, 323.
- Treat, W. E., a fishing Screech Owl, 189.
- Tringa alpina pacifica, 157.
 bairdii, 68, 189.
 canutus, 156, 196.
 fuscicollis, 157, 340.
 maculata, 157, 189, 312.
 maritima, 156, 217.
 minutilla, 146, 157, 223.

- Trochilus anna*, 221.
 colubris, 23, 44, 53, 77, 99,
 121, 177, 180, 252, 314.
 rufus, 221.
 violajugulum, 223.
- Troglodytes aëdon*, 29, 42, 46, 76,
 105, 316, 339.
 aëdon parkmannii, 221.
 alascensis, 329.
 brunneicollis, 172.
 hiemalis, 29, 42, 52, 105, 119,
 149, 316, 332.
 tecellata, 172.
- Tryngites subruficollis*, 136.
- Turdus aliciae*, 149.
 aliciae bicknelli, 42, 64, 106,
 194.
 aonalaschkæ auduboni, 223.
 aonalaschkæ pallasii, 30, 40,
 41, 42, 43, 46, 78, 79, 104,
 106, 107, 119, 141, 149, 175,
 316, 332.
 celænops, 182.
 fuscens, 29, 46, 78, 106,
 121, 149.
 fuscens salicicolus, 194.
 mustelinus, 24, 29, 40, 42, 43,
 46, 106, 121, 141, 204, 316.
 ustulatus swainsonii, 30, 42,
 106, 107, 141, 149.
- Turkey, Wild, 121, 246, 275.
- Turnstone, 129, 159, 340.
- Tympanuchus americanus*, 48.
- Tyrannulus reguloides*, 172.
- Tyrannus dominicensis*, 31, 32, 318.
 tyrannus, 23, 44, 53, 77, 78,
 100, 117, 120, 147, 202, 314,
 318.
 verticalis, 223.
 vociferans, 223.
- URIA** lomvia, 145, 213.
 ringvia, 145.
 troile, 145.
- Urinator imber*, 78, 145, 176, 212,
 311.
 lumme, 213.
- VIREO** alleni, 31.
 bellii, 240, 315.
 caymanensis, 31.
 flavifrons, 26, 77, 315.
 gilvus, 24, 26, 45, 79, 102,
 223, 315.
 huttoni, 221.
 huttoni stephensi, 173.
 noveboracensis, 40, 45, 120,
 315.
 olivaceus, 24, 26, 45, 74, 77,
 78, 102, 118, 120, 315.
- Vireo philadelphicus*, 26, 42, 74, 315.
 solitarius, 26, 40, 45, 77, 78,
 102, 118.
 solitarius alticola, 52, 122,
 197.
 solitarius cassinii, 223.
- Vireo**, Bell's, 240.
 Blue-headed, 26, 40, 45, 52,
 102.
 Philadelphia, 26, 42, 74.
 Red-eyed, 24, 26, 45, 74, 102,
 118.
 Solitary, 118.
 Stephens's, 173.
 Warbling, 24, 26, 45, 102.
 White-eyed, 40, 45.
 Yellow-throated, 26.
- Vireolanus pulchellus*, 48.
- Volatinia jacarina*, 218, 219.
 splendens, 218.
- Vulture, Black, 237, 246.
 Turkey, 246.
- WALLOON**, 311.
- Warbler, Bay-breasted, 27, 42, 138.
 Black-and-white, 26, 45, 102,
 130, 131, 148.
 Black-and-yellow, 43, 103,
 104.
 Blackburnian, 27, 42, 45, 51,
 103.
 Black-fronted, 94.
 Blackpoll, 27, 42, 149.
 Black-throated Blue, 27, 41,
 43, 45, 51, 103, 104.
 Black-throated Green, 27, 46,
 51, 74, 103, 118, 149.
 Blue Yellow-backed, 45, 103.
 Blue-winged, 27.
 Brewster's, 304.
 Canadian, 28, 41, 43, 46, 52,
 103, 104, 119, 332.
 Cape May, 27.
 Cerulean, 27.
 Chestnut-sided, 27, 41, 46, 50,
 103.
 Connecticut, 28, 183, 193.
 Golden-cheeked, 174.
 Golden-winged, 27.
 Hooded, 28, 139.
 Kentucky, 28, 139, 304.
 Kirtland's, 75, 279.
 Magnolia, 27, 118, 148.
 Mourning, 28, 42, 43, 103,
 118, 332.
 Myrtle, 27, 148.
 Nashville, 27, 40, 41, 42, 45,
 102, 304.

- Warbler, Palm, 28.
 Parula, 27.
 Pine, 28.
 Prothonotary, 26, 195.
 Sycamore, 27.
 Tennessee, 27, 43, 102, 118,
 138, 184.
 Wilson's, 28.
 Worm-eating, 24.
 Yellow, 27, 42, 45, 103, 107,
 118, 130, 148, 240.
 Yellow-rumped, 42, 43, 103,
 118, 279.
 Yellow-throated, 195, 339.
- War-loon, 311.
- Warren, B. H., notice of his 'Re-
 port on the birds of Penn-
 sylvania,' 170.
- Washburn, F. L., recent capture of
 Kirtland's Warbler in Michigan,
 and other notes, 279.
- Water-thrush, 28, 46, 118, 149.
 Louisiana, 28.
- Waxwing, American, 118.
 Bohemian, 26, 184.
 Cedar, 26, 326.
- Wheatear, 64, 211, 297.
- Whimbrel, 217.
- Whip-poor-will, 22, 44, 99.
- Widgeon, 302.
 American, 302.
- Willet, 158.
 Western, 158.
- Williams, H. S., see Keyes, C. R.
- Woodcock, 178, 179, 313.
 American, 156.
- Woodpecker, Arctic Three-toed,
 136.
 Black-backed Three-toed,
 117, 183.
 Downy, 22, 44, 52, 99, 117,
 147, 238, 251.
 Golden-fronted, 238.
 Golden-winged, 44, 53, 99,
 202.
 Hairy, 22, 42, 52, 99, 117,
 147, 238.
- Woodpecker, Ivory-billed, 251.
 Pileated, 22, 183, 238, 251, 303,
 Red-bellied, 22, 204, 238,
 251, 337.
 Red-cockaded, 251.
 Red-headed, 22, 53, 198, 202,
 238, 251, 340.
 Southern Hairy, 251.
 Texan, 238.
 Yellow-bellied, 43, 53, 99,
 251.
- Wray, R. S., death of, 206.
- Wren, Ashy, 96.
 Baird's, 240.
 Cañon, 240.
 Carolina, 29, 240, 305.
 Golden-crowned, 51.
 House, 29, 42, 46, 76, 105,
 339.
 Long-billed Marsh, 29.
 Rock, 183.
 Winter, 29, 42, 52, 105, 119,
 149, 332.
- XANTHOCEPHALUS xanthocephalus,
 220.
- YELLOWBIRD, 53.
 Yellowbird, Summer, 24.
 Yellow-hammer, 22.
 Yellow-legs, 158.
 Greater, 146, 157, 200.
- Yellow-throat, Maryland, 24, 28, 46,
 53, 104, 119, 149.
- ZENAIDA amabilis, 32.
 jessiae, 172.
 rubripes, 19, 21.
- Zenaidura macroura, 40, 44, 53,
 142, 221, 237, 246, 313.
- Zonotrichia albicollis, 25, 42, 43,
 78, 101, 118, 148, 183, 315.
 coronata, 221.
 gambeli, 221, 333.
 intermedia, 221, 333.
 leucophrys, 25, 152, 314.
 querula, 150, 329.

ERRATA.

Page 78, line 5, for *August 11* read *August 1*.

" 147, " 15, for *hudsonicus* read *hudsonius*.

" 193, " 22, 36, and page 194, line 13, for *Myiadestes* read *Mya-
 destes*.

Page 276, line 3 from bottom, for *olivascens* read *olivascens*.

" 277, " 3, for T. W. THORNE read P. M. THORNE.

" 293, " 26, for *sinuatus* read *principalis*.